EXHIBIT B - CONDITIONS OF APPROVAL RUSCO PARCEL MAP CO15-0042/SUB2015-00006

Approved Project

 A Tentative Parcel Map (CO 15-0042) to subdivide an existing 6.36 acre parcel into two parcels of 2.67 and 3.69 acres each for the purpose of sale and/or development. The proposal also includes the abandonment of un-named offers of dedication for road rightof-way located on proposed Parcel 1 and on proposed Parcel 2 that was offered as part of Tract 681.

Access and Improvements

- 2. Roads and/or streets to be constructed to the following standards, unless design adjustments are approved by the Public Works Department in accordance with Section 1.2 of the Public Improvement Standards:
 - a. Orcutt shall be widened to complete the project side of an A-1 rural road section and in accordance with the Orcutt Area Specific Plan fronting the property within a dedicated right-of-way easement of sufficient width to contain all elements of the roadway prism.
 - b. Tiburon Way shall be widened to complete the project side of an A-1 rural road section fronting the property within a dedicated right-of-way easement of sufficient width to contain all elements of the roadway prism.
 - All existing driveway approaches shall be reconstructed if necessary and in accordance with County Public Improvement Standard B-1 series drawings for rural driveways.
- 3. Access shall be denied to Parcel 2 from Orcutt Road and this shall be by certificate and designation on the map.
- 4. All grading shall be done in accordance with Appendix 33 of the Uniform Building Code or current requirements adopted by the county that pertain to grading. All lot lines shall be considered as Site Area Boundaries with slopes setback accordingly.
- 5. All driveway approaches shall be constructed in accordance with County Public Improvement Standards. All driveway approaches constructed on County roads or project related roads to be accepted for County maintenance shall require an encroachment permit.

Improvement Plans

- 6. Improvement plans shall be prepared in accordance with County Public Improvement Standards by a Registered Civil Engineer and submitted to the Department of Public Works and the county Health Department for approval. The plan is to include, as applicable:
 - a. Street plan and profile.
 - b. Drainage ditches, culverts, and other structures (if drainage calculations require).
 - c. Water plan (County Environmental Health).
 - d. Sewer plan (County Environmental Health).
 - e. Grading and erosion control plan for subdivision related improvement locations.

- f. Public utility plan, showing all existing utilities and installation of all utilities to serve every lot.
- g. Tree removal/retention plan for trees to be removed and retained associated with the required improvement for the land division to be approved jointly with the Department of Planning and Building.
- 7. The applicant shall enter into an agreement with the county for the cost of checking the map, the improvement plans if any, and the cost of inspection of any such improvements by the county or its designated representative. The applicant shall also provide the county with an Engineer of Work Agreement retaining a Registered Civil Engineer to furnish construction phase services, Record Drawings and to certify the final product to the Department of Public Works.
- 8. The Registered Civil Engineer, upon completion of the improvements, shall certify to the Department of Public Works that the improvements are made in accordance with all conditions of approval, including any related land use permit conditions and the approved improvement plans. All public improvements shall be completed prior to occupancy of any new structure.
- 9. If environmental permits from the Army Corps of Engineers or the California Department of Fish and Game are required for any public improvements that are to be maintained by the County, the applicant or his engineer, prior to the approval of the plans by the Department of Public Works shall:
 - a. Submit a copy of all such permits to the Department of Public Works OR
 - b. Document that the regulatory agencies have determined that said permit is not longer required.

Drainage

- 10. All project related drainage shall be designed and constructed in accordance with the recommendations of the San Luis Creek Watershed Drainage Design Manual.
- 11. The project shall comply with the requirements of the National Pollutant Discharge Elimination System Phase I and / or Phase II storm water program and the County's Storm Water Pollution Control and Discharge Ordinance, Title 8, Section 8.68 et sec.

Utilities

- 12. All new and existing electric, telephone and/or cable television lines shall be installed underground and service laterals stubbed to each lot.
- 13. Gas lines shall be installed and service laterals stubbed to each lot.
- 14. All work which encroaches within the existing Department of Water Resources (DWR) Coastal Aqueduct Reach 5a shall require an Encroachment Permit issued by the DWR Division of Engineering at 800-600-4397, and the Central Coast Water Authority (CCWA) at 805-688-2292. No County permits shall be issued without proof of a DWR Encroachment Permit, or that a Permit is not required.

Fire Protection

15. The applicant shall obtain a fire safety clearance letter from CalFire establishing fire safety requirements prior to filing the final parcel or tract map.

Stormwater Control Plan

- 16. At the time of application for construction permits, the applicant shall demonstrate whether the project (including both public and private improvements) is subject to the LUO Section for Stormwater Management by submitting a Stormwater Control Plan (SWCP) to show what is required to satisfy post construction requirements for stormwater treatment. It shall be prepared by an appropriately licensed professional to the County for review and approval. The SWCP shall incorporate appropriate BMP's, shall demonstrate compliance with Stormwater Control Standards and shall include a preliminary drainage plan, a preliminary erosion and sedimentation control plan. The applicant shall submit complete drainage calculations for review and approval.
- 17. **At the time of application for construction permits**, if necessary, the applicant shall submit a draft "Private Stormwater Conveyance Management and Maintenance System" exhibit for any proposed post construction structural treatment device for review and approval by the County.
- 18. **Prior to approval of the construction permits**, if necessary, the applicant shall record with the County Clerk the "Private Stormwater Conveyance Management and Maintenance System" to document on-going and permanent storm drainage control, management, treatment, disposal and reporting.

Parks and Recreation (Quimby) Fees

19. Unless exempted by Chapter 21.09 of the county Real Property Division Ordinance or California Government Code section 66477, prior to filing of the final parcel or tract map, the applicant shall pay the in-lieu fee that will be used for community park and recreational purposes as required by Chapter 21.09. The fee shall be based on the total number of new parcels or remainder parcels shown on the map that do not already have legal residential units on them.

Easements

20. **Prior to recordation of the final parcel or tract map,** the property owner shall grant an avigation easement to the County of San Luis Obispo. The avigation easement document shall be prepared, reviewed and approved by County Counsel. Based on the encumbrances identified in the preliminary title report submitted to the County, additional documents, including, without limitation, a Consent of Lienholder or Consent of Lessee, may be required in connection with the avigation easement. The avigation easement document shall be reviewed and approved by County Counsel prior to filing of the final parcel or tract map.

Additional Map Sheet

21. The applicant shall prepare an additional map sheet to be approved by the county Department of Planning and Building and the Department of Public Works. The additional map sheet shall be recorded with the final parcel or tract map. The additional map sheet shall include the following:

Improvements and Future Development

- a. All driveway approaches shall be constructed in accordance with County Public Improvement Standards. All driveway approaches constructed on County roads or project related roads to be accepted for County maintenance shall require an encroachment permit.
- b. Secondary dwellings shall not be allowed on all lots within the land division per Planning Area standards.

- c. If improvements are bonded for, all public improvements (roads, drainage, and utilities) shall be completed prior to occupancy of any new structure.
- d. The property owner shall be responsible for the operation and maintenance of public road frontage sidewalks, landscaping, street lighting, and pedestrian amenities in a viable condition and on a continuing basis into perpetuity, or until specifically accepted for maintenance by a public agency. The encroachment permit issued by Public Works identifying the limits of responsibility shall be recorded with the County Clerk.
- e. Future development related drainage shall be designed and constructed in accordance with the recommendations of the San Luis Creek Watershed Drainage Design Manual.
- f. Development will be subject to the requirements of the National Pollutant Discharge Elimination System Phase I and / or Phase II storm water program and the County's Storm Water Pollution Control and Discharge Ordinance, Title 8, Section 8.68 et sec.

Air Quality

- g. **During construction/ground disturbing activities,** the applicant shall implement the following particulate (dust) control measures. These measures shall be shown on the grading and building plans. In addition, the contractor or builder shall designate a person or persons to monitor the dust control program and to order increased watering, as necessary, to prevent transport of dust off site. Their duties shall include holiday and weekend periods when work may not be in progress. The name and telephone number of such persons shall be provided to the APCD prior to commencement of construction.
 - 1. Reduce the amount of disturbed area where possible,
 - 2. Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Reclaimed (nonpotable) water should be used whenever possible.
 - 3. Vehicle speed for all construction vehicles shall not exceed 15 mph on any unpaved surface at the construction site.
 - 4. All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard (minimum vertical distance between top load and top of trailer) in accordance with CVC Section 23114.
 - Sweep streets at the end of each day if visible soil material is carried onto adjacent paved roads. Water sweepers with reclaimed water should be used where feasible.
 - 6. All dirt stock-pile areas should be sprayed daily as needed.
- h. Developmental burning of vegetative material within San Luis Obispo County is prohibited. However, under certain circumstances where no technically feasible alternatives are available, limited developmental burning under restrictions may be allowed. Any such exception must complete the following prior to any burning: APCD approval; payment of fee to APCD based on the size of the project; and issuance of a burn permit by the APCD and the local fire department authority. As a part of APCD approval, the applicant shall furnish them with the study of technical feasibility (which includes costs and other constraints) at the time of application for building permits.
- i. Only the following types of wood burning devices shall be allowed (based on District Rule 504): a) EPA-Certified Phase II wood burning devices; b) catalytic wood burning devices emitting less than or equal to 4.1 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; c) non catalytic wood burning devices which emit less than or equal to 7.5 grams per hour of particulate matter, as verified by a nationally-recognized testing lab; d) pellet-fueled woodheaters; or e) dedicated gas-fired fireplaces. **Prior to construction permit issuance**, such devices shall be shown on all applicable plans, and installed as approved by the County.

Biological Resources

- j. At the time of application for construction permits, in order to avoid impacts to the potential wetland and riparian vegetation, no structural development will be allowed within 100 feet of the potential wetland and/or riparian vegetation on the site. Plans shall show the location of the potential wetland/riparian vegetation and all development located outside the 100-foot buffer.
- k. At the time of application for construction permits for Parcel 1, in order to avoid potential impacts to Cambria Morning Glory, no development shall occur within 50 feet of the area shown on the attached exhibit from the biological report.
- I. No native tree removal (willows, sycamores or oaks) shall be allowed with future development on either parcel.

Noise

m. Prior to issuance of construction permits for residential development for Parcel 2, if the outdoor use area is located within 207 feet of the centerline of Orcutt Road, the applicant shall show outdoor activity areas that are located with the residence between Orcutt Road and the outdoor area so the residence acts as a sound barrier. If the outdoor activity area cannot be located in this manner, a sound wall or landscaping berm shall be constructed that is of sufficient height that it interrupts the line-of-sight between the noise source and outdoor activity area. The design and materials used for the sound wall or berm shall be reviewed and approved by the Planning and Building Department prior to issuance of construction permits and shall include natural materials and colors.

Traffic

n. The project is located within the City of San Luis Obispo Sphere of Influence per Memorandum of Agreement approved by the Board of Supervisors on October 18, 2005. **Prior to issuance of construction permits**, the applicant shall contribute toward the project's fair share of cumulative traffic impacts by paying to the City of San Luis Obispo the Orcutt Road Specific Plan traffic impact fee and the Citywide Transportation Fee, as applicable.

Water

o. **Prior to issuance of construction permits**, the applicant shall submit landscape plans for the proposed parcels that includes the following outdoor conservation measures: limited irrigated landscape area of 1,500 square feet, low water-use plant materials, turf area limited to 20 percent of the site's total irrigated landscaped area, soil moisture sensors, and drip irrigation systems.

Miscellaneous

- 22. This subdivision is also subject to the standard conditions of approval for all subdivisions using community water and septic tanks, a copy of which is attached hereto and incorporated by reference herein as though set forth in full.
- 23. All timeframes on approved tentative maps for filing of final parcel or tract maps are measured from the date the Review Authority approves the tentative map, not from the date a time extension request may be acted on.

Attachment 2 - Conditions of Approval

STANDARD CONDITIONS OF APPROVAL FOR SUBDIVISIONS USING COMMUNITY WATER AND SEPTIC TANKS

- 1. Community water and fire protection shall be obtained from the community water system.
- 2. Operable water facilities from an approved Public water source shall be assured prior to the filing of the final map. A "final will serve" letter shall be obtained and submitted to Environmental Health Services for review and approval stating there are operable water facilities <u>immediately available</u> for connection to the parcels created. Construction of required improvements (water main extensions, laterals to each parcel) may be delayed, through preparation of plans, posting of bonds, and subject to the approval of County Public Works, Environmental Health Services, and the public water utility. However, bonding may **not** occur for the water well(s) construction, quantity and quality.
- 3. No residential building permits are to be issued until the community (public) water system is operational with a domestic water supply permit issued by Environmental Health Services.
- 4. In order to protect the public safety and prevent possible groundwater pollution, any abandoned wells on the property shall be destroyed in accordance with the San Luis Obispo County Well Ordinance Chapter 8.40, and Environmental Health Services destruction standards. The applicant is required to obtain a permit from the County Health Department.
- 5. When a potentially operational or existing auxiliary water supply (in the form of an existing well(s)) is located on the parcels created by this subdivision and approved community water is proposed to serve the parcels, the community water supply shall be protected from real or potential cross-contamination by means of an <u>approved</u> cross-connection control device installed at the meter or property line service connection <u>prior</u> to occupancy. (Chapter 8.30, San Luis Obispo County Code).
- 6. On-site systems that are in conformance with the county–approved Central Coast Regional Water Quality Control Board basin plan and County Building and Construction Ordinance, Title 19, will be an acceptable method of sewage disposal, until public sewers may become available.
- 7. No sewage disposal system installations are to be placed closer than 100 feet from the top of any perennial or continuous creek bank, drainage swale or area subject to inundation.
- 8. For parcels created with approved community (public) water but no community sewers, the approved on-site sewage disposal system shall be designed, where feasible, for ease in ultimate sewering.
- 9. Sewage disposal systems shall be separated from any individual domestic well and/or agricultural well, as follows: 1) leaching areas, feed lots, etc., one hundred (100) feet and bored seepage pits (dry wells), one hundred and fifty (150) feet. Domestic wells intended to serve 5 or more parcels shall be separated by a minimum of two hundred (200) feet from a leach field, two hundred and fifty (250) feet from seepage pits or dry wells.

- 10. Individual systems on new land divisions shall be designed and constructed to either reserve sufficient site area for dual leach fields (100% replacement area), or construct the dual leach fields with a diverter valve at the time of initial septic system installation.
- 11. Sewage disposal systems installed on slopes in excess of 20% shall be designed and certified by a registered civil engineer or geologist and submitted to the County Planning and Environmental Health Services for review and approval **prior to the issuance** of a building permit. Consultants shall determine geologically stable building sites and sewage disposal for each parcel, including evaluations of hillside stability under the most adverse conditions including rock saturation and seismic forces. Slopes in excess of 30% are not considered suitable or practical for on-site subsurface sewage disposal.
- 12. An encroachment permit shall be obtained from County Public Works for any work to be performed within the county right-of-way.
- 13. An encroachment permit shall be obtained from the California Department of Transportation for any work to be performed on the state highway.
- 14. Any existing reservoir or drainage swale on the property shall be delineated on the map.
- 15. Prior to submission of the map "check prints" to County Public Works, the project shall be reviewed by all applicable public utility companies and a letter be obtained indicating required easements.
- 16. Required public utility easements shall be shown on the map.
- 17. Approved street names shall be shown on the map.
- 18. The applicant shall comply with state, county and district laws/ordinances applicable to fire protection and consider increased fire risk to area by the subdivision of land proposed.
- 19. The developer shall submit a preliminary subdivision guarantee to County Public Works for review prior to the filing of the map.
- 20. Any private easements on the property shall be shown on the map with recording data.
- 21. All conditions of approval herein specified, unless otherwise noted, shall be completed prior to recordation of the map.
- 22. After approval by the Review Authority, compliance with the preceding conditions will bring the proposed subdivision in conformance with the Subdivision Map Act and county ordinances.
- 23. A map shall be filed in accordance with the Subdivision Map Act and county ordinance prior to sale, lease, or financing of the lots proposed by the subdivision.
- 24. A tentative map will expire 24 months from the effective date of the approval. Tentative maps may be extended. Written requests with appropriate fees must be submitted to the Planning Department prior to the expiration date. The expiration of tentative maps will terminate all proceedings on the matter.